Please check the examination details bel	ow before ente	ring your candidate information
Candidate surname		Other names
Centre Number Candidate Number Pearson Edexcel Level 3 GCE		
	Paper reference	8MA0/21
Mathematics Advanced Subsidiary PAPER 21: Statistics		* *
You must have: Mathematical Formulae and Statistica	al Tables (Gr	een), calculator

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear.
 Answers without working may not gain full credit.
- Values from statistical tables should be quoted in full. If a calculator is used instead
 of tables the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- The total mark for this part of the examination is 30. There are 5 questions.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







1. The relationship between two variables p and t is modelled by the regression line with equation

$$p = 22 - 1.1 t$$

The model is based on observations of the independent variable, t, between 1 and 10

(a) Describe the correlation between p and t implied by this model.

(1)

Given that p is measured in centimetres and t is measured in days,

(b) state the units of the gradient of the regression line.

(1)

Using the model,

(c) calculate the change in p over a 3-day period.

(2)

Tisam uses this model to estimate the value of p when t = 19

(d) Comment, giving a reason, on the reliability of this estimate.

(1)



Question 1 continued
(Total for Question 1 is 5 marks)




2.	A manufacturer of sweets knows that 8% of the bags of sugar delivered from supplier A was down sample of 25 bags of sugar is taken from supplier A.	rill
	A random sample of 35 bags of sugar is taken from supplier A.	
	(a) Using a suitable model, find the probability that the number of bags of sugar that are damp is	
	(i) exactly 2	
	(ii) more than 3	(3)
	Supplier B claims that when it supplies bags of sugar, the proportion of bags that are damp is less than 8%	
	The manufacturer takes a random sample of 70 bags of sugar from supplier B and finds that only 2 of the bags are damp.	
	(b) Carry out a suitable test to assess supplier <i>B</i> 's claim.	
	You should state your hypotheses clearly and use a 10% level of significance.	(4)



Question 2 continued	
	(Total for Question 2 is 7 marks)



3. The histogram summarises the heights of 256 seedlings two weeks after they were planted.



(a) Use linear interpolation to estimate the median height of the seedlings.

(4)

Chris decides to model the frequency density for these 256 seedlings by a curve with equation

$$y = kx(8 - x) \qquad 0 \leqslant x \leqslant 8$$

where k is a constant.

(b) Find the value of k

(3)

Using this model,

(c) write down the median height of the seedlings.

(1)

Question 3 continued		




Question 3 continued	
Tak	al for Question 2 is 8 marks)
(100)	al for Question 3 is 8 marks)



4. Jiang is studying the variable Daily Mean Pressure from the large data set.

He drew the following box and whisker plot for these data for one of the months for one location using a linear scale but

- he failed to label all the values on the scale
- he gave an incorrect value for the median



Daily Mean Pressure (hPa)

Using your knowledge of the large data set, suggest a suitable value for

(a) the median,

(1)

(b) the range.

(1)

(You are not expected to have memorised values from the large data set. The question is simply looking for sensible answers.)

(Total for Question 4 is 2 marks)



5. Manon has two biased spinners, one red and one green.

The random variable R represents the score when the red spinner is spun.

The random variable G represents the score when the green spinner is spun.

The probability distributions for R and G are given below.

r	2	3
P(R=r)	$\frac{1}{4}$	$\frac{3}{4}$

g	1	4
P(G=g)	$\frac{2}{3}$	$\frac{1}{3}$

Manon spins each spinner once and adds the two scores.

- (a) Find the probability that
 - (i) the sum of the two scores is 7
 - (ii) the sum of the two scores is less than 4

(3)

The random variable X = mR + nG where m and n are integers.

$$P(X=20) = \frac{1}{6}$$
 and $P(X=50) = \frac{1}{4}$

(b) Find the value of m and the value of n

(5)

Question 5 continued



Question 5 continued	
	(Total for Question 5 is 8 marks)
	TOTAL FOR STATISTICS IS 30 MARKS

