

1. Hiki has a biased dice.

The probability that the dice will land on a 6 is 0.2.

Hiki is going to roll the dice 5 times.

(a) Work out the probability that the dice will land on a 6 exactly 3 times.
Give your answer correct to 3 decimal places.

You may use $(p + q)^5 = p^5 + 5p^4q + 10p^3q^2 + 10p^2q^3 + 5pq^4 + q^5$.

.....
(3)

(b) Work out the probability that the dice will land on a 6 at least once.
Give your answer correct to 3 decimal places.

.....
(2)

(Total for Question 1 is 5 marks)

2. When practising her tennis serves, the probability that any one of Gemma's serves is in court is 0.3.

Gemma serves 4 times.

Assuming a binomial distribution, calculate the probability that exactly 2 of these serves are in court.

You may use $(p + q)^4 = p^4 + 4p^3q + 6p^2q^2 + 4pq^3 + q^4$.

.....
(Total for Question 2 is 3 marks)

3. Pens are packed in boxes.
There are 6 pens in each box.

The probability that any pen is defective is 0.1.

A box of pens is picked at random.

- (a) Find the probability that the box contains exactly one defective pen.
Give your answer correct to 3 significant figures.

You may use $(p + q)^6 = p^6 + 6p^5q + 15p^4q^2 + 20p^3q^3 + 15p^2q^4 + 6pq^5 + q^6$.

.....
(2)

- (b) Find the probability that the box contains at most one defective pen.
Give your answer correct to 3 significant figures.

.....
(2)

Suki buys 125 boxes of pens.

- (c) Find an estimate for the number of boxes that contain less than two defective pens.

.....
(2)

(Total for Question 3 is 6 marks)

4 The probability of having blood type O is 0.4.

A doctor tests the blood type of 6 patients.

Assuming a binomial distribution, calculate the probability that exactly 2 of these patients have blood type O.

You may use $(p + q)^6 = p^6 + 6p^5q + 15p^4q^2 + 20p^3q^3 + 15p^2q^4 + 6pq^5 + q^6$.

.....

(Total for Question 4 is 3 marks)

