Bhavna has a bag containing a large number of beads.  She wants to find an estimate for the number of beads in the bag.
Bhavna takes a sample of 30 beads from the bag. She marks each bead with a black cross. She then puts the beads back in the bag.
Bhavna shakes the bag. She now takes another sample of 30 beads from the bag.
4 of these beads have been marked with a black cross.
(a) Work out an estimate for the total number of beads in the bag.
beads (2)
(b) Write down any assumptions you have made.
(1)
(Total for Question 3 is 3 marks)

Carlos wants to find an estimate for the number of ants in a colony.
He catches 60 ants from the colony and marks each one with a dye. He then returns the ants to the colony.
A week later, Carlos catches another 60 ants. 8 of these ants are marked with the dye.
Work out an estimate for the number of ants in the colony. Write down an assumption you have made.
(Total for Question 2 is 3 marks)

	(2)
ite down any assumptions you have made.	

Ravina wants to find an estimate for the number of birds in a sanctuary.
She catches a sample of 70 birds in the sanctuary and tags each of these birds. These birds are then released back into the sanctuary.
The next day she catches a sample of 60 birds in the sanctuary.
Ravina has tagged 12 of these birds.
Work out an estimate for the number of birds in the sanctuary.
Write down an assumption you have made.
(Total for Question 4 is 3 marks)

vants to estimate the number of deer in a forest.	
hes a sample of 40 deer, tags them and releases them back into the	forest.
lowing week, he tables a second sample of 40 deer.	
ese deer have been tagged.	
ork out an estimate for the number of deer in the forest.	
	(2)
ite down an assumption you have made.	
	(1)
(Total for Que	stion 5 is 3 marks)