

NEW SPECIMEN PAPERS PUBLISHED JUNE 2015

GCSE Mathematics Specification (8300/1H)



Paper 1 Higher tier

Date Morning 1 hour 30 minutes

Materials

For this paper you must have:

· mathematical instruments



You must not use a calculator

Instructions

- Use black ink or black ball-point pen. Draw diagrams in pencil.
- Fill in the boxes at the bottom of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book.
- In all calculations, show clearly how you work out your answer.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- You may ask for more answer paper, graph paper and tracing paper.
 These must be tagged securely to this answer book.

Centre number				(Can	did	late	nu	mb	er						
Surname																
Forename(s)																
Candidate signa	oturo															

Anguar all guastions in the anguage pro-	, i: d ~ d
Answer all guestions in the spaces pro	vicieci

1 Circle the calculation that increases 400 by 7%

[1 mark]

$$400 \times 0.07$$

$$400 \times 0.7$$

$$400 \times 1.7$$

Simplify $3^4 \times 3^4$ 2

Circle the answer.

[1 mark]

Circle the area that is the same as 5.5 m^2 3

[1 mark]

$$550 \text{ cm}^2$$

$$5.500 \text{ cm}^2$$

$$550 \text{ cm}^2$$
 5500 cm^2 55000 cm^2 5500000 cm^2


4 One of these graphs is a sketch of y = 1 - 2x

Which one?


Circle the correct letter.

[1 mark]


Α




В



C




D



5 The scatter graph shows the age and the price of 18 cars.

The cars are all the same make and model.



Use a line of best fit to estimate the price of a 6-year old car.

[2 marks]


Answer £

6	Kelly is trying to work out the two values of w for which $3w - w^3 = 2$ Her values are 1 and -1	
	Are her values correct? You must show your working.	[2 marks]
7	Work out $2\frac{3}{4} \times 1\frac{5}{7}$	
	Give your answer as a mixed number in its simplest form.	[3 marks]
	Answer	

Solve $5x - 2 > 3x + 11$	[2
Answer	
The n th term of a sequence is $2n + 1$	
The n th term of a different sequence is $3n-1$	
Work out the three numbers that are	
in both sequences	
between 20 and 40	
	FA
	[3]
	[3]
	[3]
	[31
	[3
	[31
Answer	
Answer	
Answer	
Answer,	

10	White paint costs £2.80 per litre. Blue paint costs £3.50 per litre. White paint and blue paint are mixed in the ratio 3 : 2	
	Work out the cost of 18 litres of the mixture.	[4 marks]
	Answer £	
	Turn over for the post guestion	
	Turn over for the next question	

The diagram shows information about the scores.



Lucy is one of the 29 students in the class.

Her score was the same as the **median** score for her class.

Work out her score.

[2 marks]


Answer

12 ABCH is a square.

HCFG is a rectangle.

CDEF is a square.


They are joined to make an L-shape.




Show that the total area of the L-shape, in cm², is $x^2 + 9x + 27$


[4 marks]


Here are sketches of four triangles.





Not drawn accurately





In each triangle

the longest side is **exactly** 1 cm the other length is given to 2 decimal places.

13 (a) Circle the value of cos 50° to 2 decimal places.

[1 mark]

0.77


0.53

0.64

0.86

13 (I	b) V	Vork	out t	the v	alue	of	x.

Give your answer to 1 decimal place.



Not drawn accurately

[2 marks]

Answer _____ cm

Turn over for the next question

A prime number between 300 and 450 is chosen at random.

The table shows the probability that the number lies in different ranges.

Prime number, n	Probability
300 ≤ n < 330	0.16
330 ≤ n < 360	0.24
360 ≤ n < 390	x
390 ≤ n < 420	0.16
420 ≤ n < 450	0.24


14 (a)	Work out the value of <i>x</i> .	[2 marks]
	Answer	
14 (b)	Work out the probability that the prime number is greater than 390	[1 mark]

Answer _____

14 (c)	There are four prime numbers between 300 and 330	
	How many prime numbers are there between 300 and 450?	[2 marks]
	Answer	
15	$a \times 10^4 + a \times 10^2 = 24240$ where a is a number.	
	Work out $a \times 10^4 - a \times 10^2$	
	Give your answer in standard form.	[2 marks]
	Answer	_

AB, CD and YZ are straight lines.

All angles are in degrees.




Show that AB is parallel to CD.	[4 marks]
· · · · · · · · · · · · · · · · · · ·	

17	To complete a task in 15 days a company needs 4 people each working for 8 hours per day. The company decides to have	
	5 people each working for 6 hours per day.	
	Assume that each person works at the same rate.	
17 (a)	How many days will the task take to complete?	
	You must show your working.	[3 marks]
		[5 marks]
	Answer	
17 (b)	Comment on how the assumption affects your answer to part (a).	
17 (8)	Comment on now the assumption affects your answer to part (a).	[1 mark]

In this question all dimensions are in centimetres. 18

A solid has uniform cross section.

The cross section is a rectangle and a semicircle joined together.



Work out an expression, in cm³, for the **total** volume of the solid.

Answer

Write your expression in the form	$ax^{\circ} + \frac{1}{b}\pi x^{\circ}$	where a and b are integers.	
	, and the second		[4 marks]

8300/1H Version 1.0

 cm^3

19	Show that $12 \cos 30^{\circ} - 2 \tan 60^{\circ}$ can be written in the form \sqrt{k} where k is an integer.	
		[3 marks]

Turn over for the next question

20 On Friday, Greg takes part in a long jump competition	20	On Friday,	Greg takes	part in a	long jump	competitio
--	----	------------	------------	-----------	-----------	------------

He has to jump at least 7.5 metres to qualify for the final on Saturday.

- He has up to three jumps to qualify.
- If he jumps at least 7.5 metres he does not jump again on Friday.

Each time Greg jumps, the probability he jumps at least 7.5 metres is 0.8 Assume each jump is independent.


20 (a) Complete the tree diagram.

First jump

[2 marks]

Third jump

Second jump




20	(b)	Work out the	orobability	that he	does not	need the	e third in	umr	to a	ualify	٧.
	\~ <i>/</i>	110 0 0 11.0	0.0000		acc		u j	۰۲	, ,,,		, .

Answer

[2 marks	3]
	_
	_
	_
	_

A, B and C are points on a circle.

- BC bisects angle ABQ.
- PBQ is a tangent to the circle.



Angle CBQ = x

Prove that AC = BC

[3	mar	ks]
----	-----	-----

Turn over for the next question

22	Steph is solving a problem. Cube A has a surface area of 150 cm ² Cube B has sides half the length of cube A	
	What is the volume of cube B?	
	To solve this problem, Steph decides to • halve the surface area • calculate the square root of the answer • then divide by 6 • then cube this answer to work out the volume. Evaluate Steph's method.	[2 marks]


23 Square *OABC* is drawn on a centimetre grid.

0 is (0, 0)

A is (2, 0)

B is (2, 2)

C is (0, 2)



23 (a) OABC is translated by the vector $\begin{pmatrix} 3 \\ 1 \end{pmatrix}$

Circle the number of invariant points on the perimeter of the square.

[1 mark]

0

1

2

4

23 (b) OABC is enlarged, scale factor 2, centre (0, 0)

Circle the number of invariant points on the perimeter of the square.

[1 mark]

0

1

2

4

23 (c) OABC is reflected in the line y = x

Circle the number of invariant points on the perimeter of the square.

[1 mark]


0

1

2

4

Here is the velocity-time graph of a car for 50 seconds.



24 (a) Work out the average acceleration during the 50 seconds. Give the units of your answer.

		[2 marks]

Answer

24 (b) Estimate the time during the 50 seconds when

the instantaneous acceleration = the average acceleration

You **must** show your working on the graph.

[2 marks]

Answer seconds


	23	
25	f(x) = 2x + c $g(x) = cx + 5$ $fg(x) = 6x + d$	
	c and d are constants.	
	Work out the value of d .	[3 marks]
	Answer	
	Turn over for the next question	

26	Rationalise the denominator and simplify $\frac{10}{3\sqrt{5}}$	[2 marks]
	Answer	
27	Convert 0.172 to a fraction in its lowest terms.	[3 marks]
	Answer	

28	The diagram shows the circle	$x^2 + y^2 = 10$
20	The diagram shows the chicle	$\lambda \cdot y - 1$

P lies on the circle and has x-coordinate 1

The tangent at *P* intersects the *x*-axis at *Q*.



Work out the coordinates of Q.	[5 marks]
Answer ()

END OF QUESTIONS

